



ClareOne Outdoor Door/Gate Sensor

CLR-C1-ODDG

Intrusion



Specifications

Compatible panel	ClareOne (CLR-C1-PNL1)
Transmitter frequency	433MHz
Encrypted	Yes
Operating gap	1.75 in (44 mm)
Transmitted indications	Tamper and low battery
Supervisory keep-alive	60-70 minutes
Battery type	(2x) CR2032
Battery life	Up to 10 years
Operating temperature	-35 to 120°F (-37 to 49°C)
Relative humidity	95% non condensing
Dimensions (W x H x D)	3.39 x 1.34 x .7 in. (86.1 x 34.03 x 17.78 mm)
Water resistant	Yes
Certifications	FCC: 15.109 Class B 15.231, Industry Canada: ICES-003, RSS-210

The ClareOne Outdoor Door/Gate Sensor extends intrusion awareness to outdoor areas, expanding the peace-of-mind perimeter. This magnetic sensor is designed for gates, storage crates, and garage doors, where wide gaps render a typical contact sensor insufficient. Featuring a patented design with an isolated antenna, the sensor is designed to withstand harsh environments. It supports a longer wireless range and can be mounted on metal or wood surfaces.

Performance Highlights:

- Waterproof enclosure allows for outdoor installation
- Able to withstand harsh temperatures
- Can be mounted on wood or metal surfaces
- Superior RF range and performance
- Encrypted technology prevents alarm takeovers
- Pairs easily and quickly with the ClareOne panel

By making home technology simple, Clare provides exclusive benefits to integrators, builders, and homeowners. We offer innovative home automation solutions, wireless security, controllable lighting, and IP CCTV components. For more information, visit clarecontrols.com.