



ClareOne Recessed Door/Window Sensor Installation Sheet



Last modified: 08/18/20

Part number: CLR-C1-RCDW

Description

The CLR-C1-RCDW Recessed Door/Window Sensor is a supervised, wireless sensor that detects the opening and closing of doors or windows. The sensor and magnet are recessed mounted into the frame and feature a double tamper of both the sensor and case for added security.

When activated, the sensor transmits an open (trip) or close (restore) signal to the panel. The sensor also provides supervisory, tamper, and low battery (as needed). The sensor is powered by (1) replaceable 3-VDC Lithium CR2 battery.

Installation

Follow the provided installation guidelines.

Note: Verify mounting location before drilling any holes.


- The area must be able to accommodate an 11/16" hole to a depth of 2 1/4" for the sensor and 5/8" for the magnet.
- The holes must be drilled directly across from each other to ensure magnet and sensor operate properly.
- Pull the battery tab out of the sensor before operation, necessary for adding the sensor to the panel.

To install the recessed door/window sensor:

1. Using an 11/16" drill bit, drill a 5/8" deep hole for the magnet.
2. Mark the location directly across for the sensor hole, and then drill a 2 1/4" deep hole for the sensor.
3. Push both magnet and sensor into mounting holes until they are flush against the frame.

Notes

- The magnet and sensor are slightly larger than the drilled hole to ensure a snug fit. Slight routing of the hole may be required. Verify that there is good door/window closure.
- Mount in the side or top of the door/window.



Programming

To add the sensor to the ClareOne panel:

1. Ensure the magnet and sensor are in their not faulted position (door/window closed).
2. Put the ClareOne panel into sensor pairing mode. For detailed programming instructions, refer to the [ClareOne Wireless Security and Smart Home Panel User Manual \(DOC ID 1871\)](#).
3. Trip the sensor by opening the door/window (separating the magnet from the sensor).

Testing the Sensor

Verify that the sensor is working properly.

To test the sensor:

1. Set the panel to the sensor test mode.
2. Take the sensor and magnet to the desired mounting location, making sure to line up their alignment marks with each other. Trip the sensor by pulling the magnet away from the sensor.
3. Monitor the system after tripping the sensor. Refer to the [ClareOne Wireless Security and Smart Home Panel User Manual \(DOC ID 1871\)](#) for specific test information.

Note: If a low battery notification occurs, replace the battery within 7 days.

Caution: Battery may explode if mistreated. Do not recharge, disassemble, or dispose of in fire.

Battery replacement

Once the sensor has indicated there is a low battery, the battery must be replaced within 7 days.

To replace the battery:

1. Remove the sensor cap, and then carefully pull out the circuit board.
2. Gently push the battery outward towards the antennas, noting the polarity.
3. Removing it completely, and then press a new battery into its place.
4. Carefully slide board back into housing, note the slot for alignment.



5. Replace the cap, and then activate the device at least five times to ensure proper operation.

Specifications

Compatible Panel	CLR-C1-PNL1
RF frequency	433.95 MHz
Battery type	(1) 3-VDC, Lithium CR2 battery
Battery	Panasonic CR2
Operating environment	
Temperature	32 to 120°F (0 to 49°C)
Relative humidity	95% noncondensing

Dimensions (L x D)	2.25 x .75 in (57.15 x 19.05 mm)
--------------------	-------------------------------------

Regulatory information

Manufacturer	Clare Controls, Llc. 7519 Pennsylvania Ave, Suite 104 Sarasota, FL 34243
North American standards	ETL. ETLIC
FCC compliance	FCC / IC Statement This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. Per FCC 15.19 (a) (3) and (a) (4), This device complies with part 15 of the FCC Rules. Operation is subject to the following conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesirable operation. Per FCC 15.21, The user manual or instruction manual for an intentional or unintentional radiator shall caution the user that changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures: <ul style="list-style-type: none">•Reorient or relocate the receiving antenna.•Increase the separation between the equipment and receiver.•Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.•Consult the dealer or an experienced radio/TV technician

for help. This device complies with Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device. Cet appareil est conforme avec Industrie Canada exempts de licence standard RSS (s). Son fonctionnement est soumis aux deux conditions suivantes: (1) cet appareil ne doit pas provoquer d'interférences et (2) cet appareil doit accepter toute interférence, y compris celles pouvant causer un mauvais fonctionnement de l'appareil. In accordance with FCC requirements of human exposure to radio frequency fields, the radiating element shall be installed such that a minimum separation distance of 20 cm is maintained from the general population.

FCC: 2ABBZ-RF-RDWS-433

IC: 11817A-RFRDWS433

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This Class B digital apparatus complies with Canadian ICES-3B. Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada. MANUFACTURER HEREBY DISCLAIMS ALL WARRANTIES AND REPRESENTATIONS, WHETHER EXPRESS, IMPLIED, STATUTORY OR OTHERWISE INCLUDING (BUT NOT LIMITED TO) ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THESE PRODUCTS AND ANY RELATED SOFTWARE. MANUFACTURER FURTHER DISCLAIMS ANY OTHER IMPLIED WARRANTY UNDER THE UNIFORM COMPUTER INFORMATION TRANSACTIONS ACT OR SIMILAR LAW AS ENACTED BY ANY STATE. (USA only) SOME STATES DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO THE ABOVE EXCLUSION MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS AND YOU MAY ALSO HAVE OTHER LEGAL RIGHTS THAT VARY FROM STATE TO STATE. MANUFACTURER MAKES NO REPRESENTATION, WARRANTY, COVENANT OR PROMISE THAT ITS ALARM PRODUCTS AND/OR RELATED SOFTWARE (I) WILL NOT BE HACKED, COMPROMISED AND/OR CIRCUMVENTED; (II) WILL PREVENT, OR PROVIDE ADEQUATE WARNING OR PROTECTION FROM, BREAK-INS, BURGLARY, ROBBERY, FIRE; OR (III) WILL WORK PROPERLY IN ALL ENVIRONMENTS AND APPLICATIONS.

Environmental class

UL: Indoor dry
IEC: 3K5

EU compliance



EN 54

EN 54-00:0000

European Union directives

1999/5/EC (R&TTE directive): Hereby, Clare Controls declares that this device is in compliance with the essential requirements and other relevant provisions of Directive 1999/5/EC.



2002/96/EC (WEEE directive): Products marked with this symbol cannot be disposed of as unsorted municipal waste in the European Union. For proper recycling, return this product to your local supplier upon the purchase of equivalent new equipment, or dispose of it at designated collection points. For more information see: www.recyclethis.info.



2006/66/EC (battery directive): This product contains a battery that cannot be disposed of as unsorted municipal waste in the European Union. See the product documentation for specific battery information. The battery is marked with this symbol, which may include lettering to indicate cadmium (Cd), lead (Pb), or mercury (Hg). For proper recycling, return the battery to your supplier or to a designated collection point. For more information see: www.recyclethis.info.

Warranty information

Clare Controls offers a two (2) year limited warranty on original Clare Controls components, from the date of shipment from Clare Controls.

Contact information

Clare Controls, LLC.
7519 Pennsylvania Ave, Suite 104
Sarasota, FL 34243

General: 941.328.3991
Fax: 941.870.9646
www.clarecontrols.com

Integrator/Dealer Support: 941.404.1072
claresupport@clarecontrols.com

Homeowner Support (ClareCare): 941.315.2273 (CARE)
help@clarecontrols.com